Contents to volume 226

Discussion Letter

The mechanism of cytochrome oxidase and other reaction centres for electron/proton pumping (FEB 05376) *R.J.P. Williams* 1

Research Letters

Insect immunity: cDNA clones coding for the precursor forms of cecropins A and D, antibacterial proteins from *Hyalophora cecropia (FEB 05400) D.-A. Lidholm, G.H. Gudmundsson, K.G. Xanthopoulos, H.G. Boman* 8

Inositol phospholipid turnover and protein kinase C translocation are stimulated by poly(I)·poly(C) in human amnion cells (UAC) (FEB 05398) *G. Premecz, A. Markovits, G. Bagi, T. Farkas, I. Földes* 13

Complete amino acid sequence of poplar plastocyanin *b* (FEB 05316) *M.I. Dimitrov, C.A. Egorov, A.A. Donchev, B.P. Atanasov* 17

Rapid characterization of mucin oligosaccharides from rat small intestine with gas chromatography-mass spectrometry (FEB 05399) *H. Karlsson, I. Carlstedt, G.C. Hansson* 23

Isolation of cDNAs coding for epitopes shared by microtubule-associated proteins and neurofibrillary tangles in Alzheimer's disease (FEB 05389) *J.-P. Brion, M.E. Cheetham, P.A. Robinson, A.-M. Couck, B.H. Anderton* 28

Molecular cloning and sequencing of cDNA for rat cathepsin H: Homology in propeptide regions of cysteine proteinases (FEB 05402) *K. Ishidoh, S. Imajoh, Y. Emori, S. Ohno, H. Kawasaki, Y. Minami, E. Kominami, N. Katunuma, K. Suzuki* 33

Acrosin shows zona and fucose binding, novel properties for a serine proteinase (FEB 05401) *E. Töpfer-Petersen, A. Henschen* 38

Isolation and structural characterization of porcine coupling factor 6 from intestinal tissues (FEB 05397) *Z. Chen, V. Mutt, J. Barros-Söderling, H. Jörnvall* 43

Characterization of recombinant glycosylated human interleukin 2 produced by a recombinant plasmid transformed CHO cell line (FEB 05403) *P. Ferrara, F. Pecceu, E. Marchese, N. Vita, W. Roskam, J. Lupker* 47

A 63 kDa protein is secreted from BALB/c-3T3 cells entering the G_1 phase from the G_0 state (FEB 05404) *S. Tominaga* 53

Synthetic analogues of vitamin D_3 with an oxygen atom in the side chain skeleton: A trial of the development of vitamin D compounds which exhibit potent differentiation-inducing activity without inducing hypercalcemia (FEB 05407) *J. Abe, M. Morikawa, K. Miyamoto, S. Kaiho, M. Fukushima, C. Miyaura, E. Abe, T. Suda, Y. Nishii* 58

A mechanism for the RNA-catalyzed formation of 5′-phosphates: The origin of nucleases (FEB 05348) *R. Cedergren, B.F. Lang, D. Gravel* 63

Specific and nonspecific effects of nucleotides on hormone-induced phosphoinositide turnover in permeabilized human pituitary tumour cells (Flow 9000) (FEB 05406) *W.W.Y. Lo, J. Hughes* 67

Triton X-100 reacts with chlorophyll in the presence of chlorophyllase (FEB 05405) *T.J. Michalski, C. Bradshaw, J.E. Hunt, J.R. Norris, J.J. Katz* 72

Uncoupling effects of local anesthetics on rat liver mitochondria (FEB 05412) *P. Dabadie, P. Bendriss, P. Erny, J.-P. Mazat* 77

Evidence for a novel voltage-activated channel in the outer mitochondrial membrane (FEB 05388) *K.W. Kinnally, H. Tedeschi, C.A. Mannella* 83

The DNase I generated disomal series is coherent to 16*N*: Implications for coiling models of chromatin structure (FEB 05414) *S.J. Davis, L.A. Burgoyne* 88

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

Primary structure of bovine cerebellum GTP-binding protein G_{39} and its effect on the adenylate cyclase system (FEB 05410) *Yu.A. Ovchinnikov, V.Z. Slepak, A.N. Pronin, A.B. Shlensky, N.B. Levina, V.L. Voeikov, V.M. Lipkin* 91
The structure of procalcitonin of the salmon as deduced from its cDNA sequence (FEB 05415) *E. Pöschl, I. Lindley, E. Hofer, J.-M. Seifert, W. Brunowsky, J. Besemer* 96
The influence of the chain length of aldehydes on the fluorescence of chromolipids (FEB 05413) *A. Montfoort, K. Bezstarosti, M.M.J. Groh, J.F. Koster* 101
Characterization of human red cell Rh (Rhesus-)specific polypeptides by limited proteolysis (FEB 05411) *M. Krahmer, R. Prohaska* 105
The phosphorylation of nucleoplasmin by casein kinase-2 is resistant to heparin inhibition (FEB 05409) *A. Taylor, C.C. Allende, R. Weinmann, J.E. Allende* 109
The N-terminal half of the heavy chain of botulinum type A neurotoxin forms channels in planar phospholipid bilayers (FEB 05416) *R.O. Blaustein, W.J. Germann, A. Finkelstein, B.R. DasGupta* 115
Identification of two forms of 6-phosphofructo-2-kinase in yeast (FEB 05426) *J.J. Aragón, M.-E. Gómez, C. Gancedo* 121
Identification of three additional members of rat protein kinase C family: δ-, ϵ- and ζ-subspecies (FEB 05417) *Y. Ono, T. Fujii, K. Ogita, U. Kikkawa, K. Igarashi, Y. Nishizuka* 125
Electron paramagnetic resonance and magnetic circular dichroism studies of electron-transfer flavoprotein-ubiquinone oxidoreductase from pig liver (FEB 05430) *M.K. Johnson, J.E. Morningstar, M. Oliver, F.E. Frerman* 129
Photoaffinity labelling of melanoma cell MSH receptors (FEB 05423) *T. Scimonelli, A.N. Eberle* 134
The mechanism of H^+ transfer by bacteriorhodopsin: The properties and the function of intermediate P (FEB 05419) *L.A. Drachev, A.D. Kaulen, V.P. Skulachev, V.V. Zorina* 139
Soybean basic 7 S globulin represents a protein widely distributed in legume species (FEB 05422) *H. Kagawa, F. Yamauchi, H. Hirano* 145
A water-soluble form of penicillin-binding protein 2 of *Escherichia coli* constructed by site-directed mutagenesis (FEB 05420) *H. Adachi, T. Ohta, H. Matsuzawa* 150
Are guanine nucleotide-binding proteins involved in regulation of thylakoid protein kinase activity? (FEB 05428) *P.A. Millner* 155
Crosslinking between the 33 kDa extrinsic protein and the 47 kDa chlorophyll-carrying protein of the PS II reaction center core complex (FEB 05421) *I. Enami, K. Satoh, S. Katoh* 161
In the uncoupling protein from brown adipose tissue the C-terminus protrudes to the c-side of the membrane as shown by tryptic cleavage (FEB 05418) *C. Eckerskorn, M. Klingenberg* 166
An extremely acidic amino-terminal presequence of the precursor for the human mitochondrial hinge protein (FEB 05425) *S. Ohta, K. Goto, H. Arai, Y. Kagawa* 171
A second catalytic subunit of type-2A protein phosphatase from rabbit skeletal muscle (FEB 05439) *O.B. da Cruz e Silva, P.T.W. Cohen* 176
Proton NMR studies of horse ferricytochrome *c*: Completion of the assignment of the well resolved hyperfine shifted resonances (FEB 05432) *H. Santos, D.L. Turner* 179
In photoinhibited photosystem II particles pheophytin photoreduction remains unimpaired (FEB 05433) *S.I. Allakhverdiev, E. Šetlíková, V.V. Klimov, I. Šetlík* 186

Book Reviews and Booklist no. 79 191

Notes to Authors 208

FEBS News

Guidelines for One-Year FEBS Fellowships 210

Guidelines for FEBS Summer Fellowships 211

Meeting Report

Steroid receptors in health and disease: An Oakland University-Serono Symposia, USA Conference, September 20–23, 1987, Meadow Brook Hall, Rochester, MI 48309-9908, USA (FEB 05429) *V.K. Moudgil* 213

Hypothesis

Prothymosin α is a nuclear protein (FEB 05446) *J. Gómez-Márquez, F. Segade* 217

Research Letters

Effects of female sex hormones on the activity of serum hyaluronidase (FEB 05445) *S.M. Khoja* 220
Translocation of protein kinase C in porcine thyroid cells following exposure to thyrotropin (FEB 05385) *J. Ginsberg, P.G. Murray, J.E. Parente, K. Wong* 223
Stronger affinity of reticulocyte release factor than natural suppressor $tRNA^{Ser}$ for the opal termination codon (FEB 05408) *T. Mizutani, T. Hitaka* 227
Influence of probe structure on unique (regiospecific) cleavage of RNA by RNase H (FEB 05440) *V.G. Metelev, G.V. Zayakina, I.L. Ryabushenko, N.F. Krynetskaya, E.A. Romanova, T.S. Oretskaya, Z.A. Shabarova* 232
The human medulloblastoma cell line TE671 expresses a muscle-like acetylcholine receptor: Cloning of the α-subunit cDNA (FEB 05436) *R. Schoepfer, M. Luther, J. Lindstrom* 235
Broad-host range expression vectors containing manipulated *meta*-cleavage pathway regulatory elements of the TOL plasmid (FEB 05437) *J.L. Ramos, M. Gonzalez-Carrero, K.N. Timmis* 241
Vestiges of lost introns in the thermal stability map of DNA (FEB 05450) *R. Hanai, A. Suyama, A. Wada* 247
Identification and isolation of core histones from *Schizosaccharomyces pombe* (FEB 05448) *S.G. Whiteside, D.J. Plocke* 250
Does the channel for nascent peptide exist inside the ribosome?: Immune electron microscopy study (FEB 05449) *L.A. Ryabova, O.M. Selivanova, V.I. Baranov, V.D. Vasiliev, A.S. Spirin* 255
Separation of the pore-forming and cytotoxic activities from natural killer cell cytotoxic factor (FEB 05431) *L.P. Sashchenko, N.V. Gnuchev, M.A. Kirillova, T.I. Lukjanova, T.V. Rebizova, E.S. Revazova, E.M. Lukanidin* 261
Carboxyatractylate inhibits the uncoupling effect of free fatty acids (FEB 05427) *A.Yu. Andreyev, T.O. Bondareva, V.I. Dedukhova, E.N. Mokhova, V.P. Skulachev, N.I. Volkov* 265
$\Delta\psi$-dependent gating of Na^+/H^+ exchange in *Halobacterium halobium:* a $\Delta\tilde{\mu}H^+$-driven Na^+ pump (FEB 05434) *T. Konishi, N. Murakami* 270
Chlorophyll dichroism of three-dimensional crystals of the light-harvesting chlorophyll *a*/*b*-protein complex (FEB 05444) *W. Kühlbrandt, A. Becker, W. Mäntele* 275
Charybdotoxin and noxiustoxin, two homologous peptide inhibitors of the $K^+(Ca^{2+})$ channel (FEB 05447) *H.H. Valdivia, J.S. Smith, B.M. Martin, R. Coronado, L.D. Possani* 280
Superoxide-induced deimination of arginine in hematopoietic cells (FEB 05451) *P.P. Kamoun, E. Schneider, M. Dy* 285
80% of muscarinic receptors expressed by the NB-OK 1 human neuroblastoma cell line show high affinity for pirenzepine and are comparable to rat hippocampus M1 receptors (FEB 05443) *M. Waelbroeck, J. Camus, M. Tastenoy, J. Christophe* 287
Binding of *ras* p21 to bands 4.2 and 6 of human erythrocyte membranes (FEB 05453) *T. Tanimoto, M. Hoshijima, M. Kawata, K. Yamamoto, T. Ohmori, H. Shiku, H. Nakano, Y. Takai* 291
Sequences both 5′ and 3′ to the transcription initiation site contribute to the ability of a mouse H-2 gene to respond to type I interferon (FEB 05454) *A. Pascucci, A. Pannuti, G. La Mantia, L. Lania* 297
Tuftsin stimulates growth of HL60 cells (FEB 05455) *N.J. Bump, V.A. Najjar* 303

Secretory responses of rat peritoneal mast cells to high intracellular calcium (FEB 05441) *R. Penner, E. Neher* 307
Native cytokines do not bind to uromodulin (Tamm-Horsfall glycoprotein) (FEB 05438) *P. Moonen, R. Gaffner, P. Wingfield* 314
Further evidence for the presence of a thiazoline ring in the isoleucylcysteine dipeptide intermediate in bacitracin biosynthesis (FEB 05435) *H. Ishihara, K. Shimura* 319
Involvement of a calcium-phospholipid-dependent protein kinase in the maturation of *Xenopus laevis* oocytes (FEB 05457) *A. Laurent, M. Basset, M. Dorée, C.J. Le Peuch* 324
A quenched-flow study of a receptor-triggered second messenger response: cyclic AMP burst elicited by isoproterenol in C6 glioma cell membranes (FEB 05458) *H. Valeins, T. Volker, O. Viratelle, J. Labouesse* 331
α-Melanocyte stimulating hormone promotes neurite outgrowth in chromaffin cells (FEB 05442) *B. Demeneix, N.J. Grant* 337
Early reduction of cytochrome *c* in hypoxia (FEB 05459) *B. Chance* 343
Involvement of bicarbonate in the protonation of the secondary quinone electron acceptor of photosystem II via the non-haem iron of the quinone-iron acceptor complex (FEB 05463) *J.J.S. van Rensen, W.J.M. Tonk, S.M. de Bruijn* 347
Mitochondrial oxidative phosphorylation participating in photosynthetic metabolism of a leaf cell (FEB 05464) *S. Krömer, M. Stitt, H.W. Heldt* 352
Methyllycaconitine and (+)-anatoxin-a differentiate between nicotinic receptors in vertebrate and invertebrate nervous systems (FEB 05460) *D.R.E. Macallan, G.G. Lunt, S. Wonnacott, K.L. Swanson, H. Rapoport, E.X. Albuquerque* 357
Fusion proteins with both insecticidal and neomycin phosphotransferase II activity (FEB 05461) *H. Höfte, S. Buyssens, M. Vaeck, J. Leemans* 364
Preformed PAF-acether and lyso PAF-acether are bound to blood lipoproteins (FEB 05462) *J. Benveniste, D. Nunez, P. Duriez, R. Korth, J. Bidault, J.-C. Fruchart* 371

Author Index 377

Table of Contents 382

Notes to Authors 387

FEBS News

Guidelines for FEBS One-Year Fellowships 389

Guidelines for FEBS Summer Fellowships 390